

# WS-846AGP MPC-55/57AGP

▶ 12.1" TFT LCD PIAGP RAID Workstation

▶ 15"/ 17" TFT LCD PIAGP RAID Workstation

**Most cost-effective Workstation with RAID and AGP Slot Solution**


**NEW**

Analog VGA Input



WS-846AGP

### PIAGP RAID Solution




RAID solution industrial workstation provides AGP slot and ship with PCIAGP-6SR backplane, FDD, slim CD-ROM

## SPECIFICATIONS



- WS-846AGP: 19" Rackmount, 6U Height Industrial PIAGP Workstation
- MPC-55AGP, MPC-57AGP: 15"/ 17" TFT LCD Industrial PIAGP Workstation
- PCIAGP-6SR included, supports standard AGP 4X/8X and RAID function
- Ship with Slim 24X CD-ROM and FDD
- Two Removable 3.5" IDE HDD Drive Bay, supports JBOD (spanning), RAID 0 (Striping), RAID 1 (Mirroring)
- WS-846AGP ship with 300W PFC ATX Power Supply, MPC-55/57AGP ship with ACE-832AP 300W PFC ATX power supply
- Metal front panel design (WS-846AGP)
- Aluminum front panel meets IP65/ NEMA 4 standard (MPC-55/57AGP)



LCD Display Module	12.1" TFT LCD	15" TFT LCD	17" TFT LCD
Resolution	800 x 600	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>
LCD MTBF	50000 hrs	50000 hrs	50000 hrs
Backlight MTBF	30000 hrs	30000 hrs	30000 hrs

- Membrane Keypad (59 keys) (WS-846AGP)
- Optional touch screen T-R121B/ T-R151B/ T-R170B with RS-232 interface
- Operation Temperature: 0 ~ 50°C
- Relative Humidity: 5-95%, non-condensing.
- Vibration: 5 ~ 17 Hz, 0.1" double amplitude displacement  
17 ~ 640 Hz, 1.5G acceleration peak to peak.
- Shock: 10G acceleration peak to peak. (11ms)
- Color: White (Pantone 413C)



MPC-55AGP



SAGP-648E



SAGP-815EV



SAGP-845EV

## ORDERING INFORMATION



PCIAGP-6SR

PIAGP backplane provides AGP slot and RAID function



AVGA-X400

Xabre AGP 8X VGA card

- WS-846AGP 6U 7-slot 12.1" TFT LCD PIAGP RAID Workstation
  - MPC-55AGP 15" TFT LCD PIAGP RAID Workstation
  - MPC-57AGP 17" TFT LCD PIAGP RAID Workstation
- Option**
- SAGP-815EV: PIAGP® Socket-370 Based CPU Board
  - SAGP-845EV: PIAGP® Socket-478 Based CPU Board
  - SAGP-648E: PIAGP® Socket-478 Based CPU Board with Serial-ATA, AGP 8X,
  - AVGA-X400: Xabre400 AGP 8X VGA card with on board 64MB DDR SDRAM
  - LPISA-KIT01: LPC-to-ISA Bridge Module (SAGP-648E)
  - PISA-KIT01: PCI-to-ISA Bridge Module (SAGP-845EV and SAGP-815EV)
  - T-R121B, T-R151B, T-R170B (Resistive type touch screen with RS-232 interface)
  - T-C151, T-C170B (Capacitive type touch screen with RS-232 interface)